


10



Client Asset List - {Expiration Date, Callback URL, Client-side token, throttle paramtere, refresh rate parameter, delete asset flag, help link, resoource path information}

FIG. 1




FIG. 2

```
<!ELEMENT channel (item+ | refreshRate | helpUrl? | cookieDomain? |  
cookieName?)>  
<!ELEMENT item (link | expires | hitCountUrl? | throughput? | trackWithCookie?  
)*>
```

The following is an example XML group file:

```
<?xml version="1.0" ?>  
<channel>  
  <item>  
    <link>http://myserver/myfile.wmv</link>  
    <expires>2002-22-03T00:17:15Z</expires>  
    <hitCountUrl>http://hitserver/hiturl</hitCountUrl>  
    <throughput>75</throughput>  
    <trackWithCookie/>  
  </item>  
  <refreshRate>60</refreshRate>  
  <helpUrl>http://myserver/help.html</helpURL>  
  <cookieName>adAssets</cookieName>  
  <cookieDomain>.go.com</cookieDomain>  
</channel>
```

FIG. 3

Internal Class Name	COM/ActiveX Class Name
CCacheAsset	CDisCacheAsset
CCacheGroup	CDisCacheGroup
CCacheReference	CDisCacheReference

FIG. 4

Error Type	Retry Attempted	Timeout Before Retry
Invalid item URL	no	N/A
Server Connection	yes	5 minutes
Server not found	yes	5 minutes
File not on server	yes	15 minutes
Unknown server error	yes	15 minutes
Internal Error	yes	1 hour

FIG. 5

Error Type	Retry Attempted	Timeout Before Retry
Invalid item URL	no	N/A
Server Connection	yes	5 minutes
Server not found	yes	1 hour
File not on server	yes	1 hour
Unknown server error	yes	15 minutes
Internal Error	yes	1 hour

FIG. 6

Asset List

Asset 1: {Attribute(1,1); Attribute (1,2);...;Attribute (1,M)}
Asset 2: {Attribute(2,1); Attribute (2,2);...;Attribute (2,M)}
.
.
.
Asset N: {Attribute(N,1); Attribute (N,2);...;Attribute(N,M)}

FIG. 7

Asset List {Attribute 1; Attribute 2;...;Attribute N}

Asset 1
Asset 2
.
.
.
Asset N

FIG. 8